

Goff's wide variety of industrial partitions are sure to offer a solution to your space separation challenges.

Curtain Wall Strip Doors

Goff's Strip Door Curtain Walls allow people and vehicles through, while dust, dirt, noise and temperature-controlled air stays put. Goff's offers five different widths and thicknesses of strips, to be determined by the application for which you need the Strip Door Curtain. Other options include: Ribbed strips for longer strip life and tinted weldview strips for blocking welding flash. Doors are furnished with mounting hardware, installation instructions and all are certified flame retardant.




Curtain Wall Welding Screens

Goff's free standing welding screens offer protection from dangerous welding flash and sparks produced by welding/grinding operations. Goff's offers five semi-transparent "Weldview" colors in addition to a wide variety of opaque, reinforced vinyls and high temperature materials. The material of your choice is easily tied around the frame's 1" round tubing. The welding screens are available in single or multi-panel formations and the base legs can be swiveled to fit into awkward spaces.



Roll Up Curtains

For applications that are unable to utilize a horizontally rolling Curtain Wall, Goff's offers "Roll Up Curtains". These partitions are constructed of the same heavy duty, flame retardant, vinyls used in Goff's original Curtain Walls but have the ability to be rolled up vertically when not needed. The Curtain Wall attaches to a 5" round aluminum horizontal roller tube and turns, raising the curtain when the hand brace is cranked. Roll Up Curtains are available in custom sizes however the suggested maximum size is 20' x 14'.



Weldview Curtain Rolls

Goff's Curtain Rolls are a great way to instantly have welding curtains in the size you need, whenever you need them. Simply cut any width from the roll with scissors or a utility knife. Curtain Rolls are made from 14 mil double polished California Fire Marshal approved welding curtain film and have grommets 12" on center along the top. The rolls are available in red, yellow, gray or blue and are 25 yards long x 66" high.




Solid Vinyl Curtain Rolls

If a non see-through Curtain roll is what you need, Goff's offers Curtain Rolls in a solid polyester reinforced vinyl that is 14oz. Per square yard available in blue, white, green yellow, red, gray, purple, maroon, beige, black, orange and teal. These Curtain Rolls also have grommets 12" on center along the top but are 25 yards x 62" high and pass all CFM and tests for flame retardancy.



BUG BLOCKER CURTAIN DOORS

- Keeps unwanted insects and birds out of your warehouse/plant space.
- Allows fresh air to flow through for comfort & productivity.
- Reduces heat from sun while allowing some light into work areas.
- Draw screens into use when needed, glide out of the way when not.
- All materials are mildew, rot, fade & tear resistant



WARRANTY


Goff's Enterprises, Inc. warrants all Curtain Wall Systems from failure in normal use due to defects in material or workmanship for a period of FIVE years from date of purchase. A LIFETIME warranty on all track & roller hardware. Goff's Enterprises may elect to repair or replace defective or damaged goods.

★ **Recipient of National Safety Newsmaker Award** ★
 Most outstanding idea on how to prevent accidents
 and minimize injuries in specific situations and environments

Universal Track Connector®

Goff's Enterprises, Inc. has introduced a revolutionary new hardware piece that completely eliminates the need for individual suspend, wall and flush mount track splicing hardware. Designed by Goff's, the versatile track splicing clamp is now standard issue for all Original Goff Curtain Wall orders, simplifying the ordering process and assuring that you get the proper hardware that you need every time. With the universal track connector, you can't go wrong. Stocking Distributors benefit from this new hardware because stock curtain wall packages can be kept-in-house and the proper hardware will be included, no matter what the customer's application, every time.


*Universal track connector is capable of replacing the below asterisked hardware pieces, however any hardware piece is available upon request.




Hardware Options

The Goff Curtain Wall system can be mounted directly to a ceiling, wall, or suspended from the ceiling. Floor mount hardware is also available. For smooth, easy movement all curtain systems come complete with a heavy duty track (16 gauge) and rollerhook system along with either suspend, wall or flush mount brackets.


Track & Accessories




Ceiling Support Hardware




Wall & End Mount Hardware




Threaded Rod Support Hardware



Beam Flange Support Hardware



Beam or Chain Support Hardware



Distributed by:

Goff's Enterprises, Inc.

1228 Hickory Street, Pewaukee, WI 53072
 e-mail: sales@goffscw.com
 Web address: www.goffscurtainwalls.com

Phone: (262) 691-4998 or (800) 234-0337
 Fax (262) 691-3255 or (800) 959-0170



Made in U.S.A.

Rev. 1/02
 Copyright © 2001 Goff's Enterprises, Inc.

**MAXIMIZE YOUR SHOP SPACE WHILE CREATING
A SAFER, MORE EFFICIENT WORK ENVIRONMENT WITH...**



**THE Original
Goff's
Curtain Wall**

Goff's "THE ORIGINAL"
**CURTAIN
WALLS**



Strip Doors



Bug Blocker Curtains



Roll-up Curtains



**Welding
Screens**

VINYL SAFETY & CONTAINMENT PARTITIONING SYSTEMS


Goff's Original Curtain Walls, strip doors and welding screens are available in ready to ship, stock sizes; or let Goff's curtain design specialists create a custom system for you!

The Original Goff Curtain Wall

Goff's unique "Original Curtain Wall" system creates a retractable barrier that can be drawn into use in seconds. The Curtain Walls glide on a simple to install track & roller system that is guaranteed in writing to give you a lifetime of trouble free use. Curtain wall systems are shipped ready to install, complete with instructions. Goff's Curtain Walls are ideal for a wide variety of uses including: Confining contaminants such as dust, paint & primer overspray, grinding sparks and water or chemical mist.*

- 16 gauge Steel Channel Track & Roller System
- 14oz.* Reinforced Vinyl Top Section
- 20mil.* Double Polished Clear Windowed Section
- 14oz.* Reinforced Colored Vinyl Section (Your Choice of over 11 Different Colors)*
- "Floor Mount Wind Ties"***

*** Innovated and/or available exclusively from "Goff's"



The Original Goffs Curtain Wall packages are available in custom sizes or in stock, ready to ship sizes of 8', 9', 10' & 12' high and widths of 6', 12' & 24' with blue bottoms, clear centers and white tops.*


Single Curtain

- Stock Curtain Wall Packages Ship Within 24hrs!

*Not designed or suggested to be used as a paint booth. Check local and state codes for compliance.

Materials & Construction

Goff's Original Curtain Walls are constructed with a combination of some of the finest industrial vinyls available. The upper and lower opaque, PVC sections are 14 oz. per square yard, reinforced with a polyester 9 x 9 x 1000 denier weft inserted scrim which is laminated into the fabric to give the curtain a high tear and tensile strength without sacrificing flexibility. These reinforced materials are exclusively manufactured for Goffs to be certified flame retardant by the California State Fire Marshals office, as well as passing the NFPA-701 test for fire resistance. The polyvinyl curtain material is water repellent, mildew and rot resistant as well as being resistant to most chemicals. It can withstand a maximum temperature of 180° F and contains a cold crack resistance to -40° F. This material is also available in over eleven different stock colors.



Goff's Curtain Walls Are Ideal For:

- Airborne Particle Containment
- Machine Area Separation
- Paint, Primer & Prep Areas
- Wash Bays
- Privacy Screen Areas
- Grinding Areas
- Welding Areas
- Sanding Areas

The upper and lower reinforced curtain sections are double lock stitched to a 20 mil. double polished, clear, 52" high windowed section that withstands temperatures of between -20° and +150°. The sections are joined using mildew/rot resistant thread. Brass, toothed grommets are placed 1' on center along the top for attachment to dual wheeled roller hooks that glide easily on the 16 gauge galvanized steel track system. Goff's Curtain Walls easily attach to one another via 2" industrial hook & loop fasteners placed in 2-1' patches on each outer vertical edge and a zinc plated chain is sewn into the bottom edge for additional weight.

Adding Goff's Curtain Walls To Your Facility Can Offer:

- A Safer Work Environment
- Increased Productivity
- Confinement of Contaminants
- A Cleaner Work Environment
- Instant Separation of Work Areas
- Protection from Sparks and Hazardous Debris
- Improved Facility Appearance
- Reduced Heat & Cold Loss

Original Goff Curtain Wall Add-Ons & Options (innovated and/or available exclusively from Goff's):

Riteway Replaceable Curtain Walls™

This unique curtain design allows easy replacement of any curtain section should it become damaged, at a fraction of the cost of purchasing an entirely new curtain. Goff's Hook & Loop / Snap system make replacing needed sections fast, convenient and cost effective.



Floor Mount Wind Ties™

Any Goff Curtain Wall can be equipped with "Floor Mount Wind Ties". These easy to fasten tie downs are sewn directly onto the bottom of the Curtain Walls keeping breezes from blowing curtains around. The 4", steel, surface mounted pan encompasses a flip up "D" ring that keeps the curtains held down via a 1" wide webbing strap that attaches directly to the "D" ring. **"Style A" Wind Ties:** Loop through the "D" ring attaching back to itself via industrial hook & loop fasteners and are perfect for most indoor or occasionally breezy applications. **"Style B" Wind Ties:** Hook onto the "D" ring via a steel spring clip which can be adjusted by sliding the rubber buckle up or down on the webbing which is sewn directly onto the Curtain Wall. "Style B" Wind ties are appropriate when used in conjunction with Goff's "Outdoor Material" curtains or when curtains are placed in areas with excessive air movement.



Filter Wall Curtain Panels™

These Filter panels allow air exchange between any two areas which the Curtain Walls separate. The filter panels are easily removable and replaceable due to the 2" wide industrial hook & loop fasteners which are sewn directly onto both the curtain and filter panels. The 2' x 4' or 4' x 4' filter sections are reinforced via a nylon scrim pattern that allows these replaceable panels to hold their form and while directing air flow in curtained areas. Filter Wall users will find their curtains surprisingly easy to roll out of the way when not needed. The flexible filter media will add only nominal girth to the curtain when tied back.




Curtain Walls Designed For Outdoor Applications

When it becomes necessary to curtain an area with outdoor exposure, Goff's now offers a new heavier grade Curtain Wall made of an 18oz. "Coated" not "Laminated" vinyl and can be equipped with a 40 oz. double polished PVC windowed section. Both of these materials offer a higher resistance to both heat and cold as well as boasting a higher tear and tensile strength. Ask a Goff representative if this option may be right for you.




Weldview Tinted Window Sections

Any Goff Curtain product can be equipped with a tinted transparent windowed section to protect viewers from the harmful rays created during welding and grinding operations. The tinted window can be 30", 60", or 52" high (52" will match and mate with other existing Goff Curtains) and is available in yellow, smoke gray, red, blue and green.



Choice of Colors

For no additional charge, choose from 12 colored bottom vinyls to brighten up your facility!



More Options . . .

More Innovative Add-Ons & Options For Curtain Walls — Designed To Create A More Productive Facility.


Curtain Wall Cleaner & Shield

Goff's Shield All provides a semi-transparent, protective coating that when applied, gives dirt and overspray a surface to attach to, rather than sticking to the curtain itself. Curtain Shield dries to a tack-free, semi-transparent, flexible and protective shield that intercepts dirt and overspray before reaching and damaging your Curtain Wall. Goff's Curtain Cleaner is a safe and effective way to clean the entire Curtain Wall without damaging the vinyls. Both products are environmentally safe, biodegradable, non-hazardous and non-flammable.



Floor Sweep Attachment

When additional area confinement is needed, our new "Floor Sweep" attachment is your answer. Goff's Curtain Walls are designed to hang 1" above the floor's surface, keeping the chain weighted lower hem from dragging on the floor, abrading and eventually wearing out. Our Floor Sweep attachment is available in either removable or non-removable, and seals the gap between the Curtain Wall's bottom and the floor. When the Floor Sweep wears out, simply trim the worn edge with a scissors. If the floor sweep should ever wear to the point of not sealing, remove and replace. Also perfect for pitched floors...hang your Curtain Wall and trim your floor sweep to the desired pitch!



Strip Door Walkthroughs

Goff's can equip any curtain wall with a 3' wide x 7' high strip door walkthrough upon request. The strip door is attached directly to the curtain to allow passage from one side to the other without interrupting operations by having to draw the curtain out of the way. The Strip door walkthrough is constructed of 6" strips, .060 thick with a 50% overlap. The Stripdoor walkthroughs are another innovation available exclusively from Goff's.




Valance Panels

These "Filler" curtains are used to create more complete separation of work areas above Goff curtain packages, keeping virtually all contaminants out of unwanted areas. Custom manufactured to any size height and width, these valances are constructed of the same top quality 14 oz. or 20 mil. materials used in fabricating the original Curtain Walls. Grommets 1' O.C. along top and hook & loop fasteners at the bottom are options that make hanging your valance panels quick and easy.




Vinyl Mesh

Available for improved airflow, when the air doesn't need to be filtered (See Filter Wall Curtain Panels on previous page) and available in white or blue. Custom mesh panels (14 mil.) can be custom sized and located to your specifications.



Anti-Static Vinyl Material

Dust and shavings are easily removed by shaking or tapping on vinyl. This 20 mil., flame retardant, clear vinyl is designed to dissipate static charges.



Custom Logos

Now your company can have your Curtain Walls personalized with your company logo or slogan. Custom price based on size, colors & quantity.

